







## **BUOYANT WRENCH**

(954) 424-6349

| FIG. 1: | Opposite side and opposite end wrench                             |
|---------|---|
| 1.      | Eyelet for lanyard attachment                                     |
| 2.      | Reflective material   |
| 3.      | Hex socket wrench   |
| 4.      | Second size hex socket wrench                                     |
| Note:   | To get four hex socket wrench add two more vertical extensions at |
|         | areas indicated by X and Y.                                       |
|         |   |
| FIG. 2: | Six sizes of hex socket wrench                                    |
| 5.      | Eyelet for lanyard attachment                                     |
| 6.      | Reflective material   |
| 7.      | A-F show different size hex socket wrenches                       |
| 8.      | Vertical extension  |
| 9.      | Body of hex socket wrench   |
|         |   |
| Fig. 3: | Multi-tool fish design  |
| 10.     | Reflective material   |
| 11.     | Eyelet for lanyard attachment                                     |
| 12.     | Dorsal fin and hand slip prevention                               |
| 13.     | Ventral fin and hand slip prevention                              |
| 14.     | Hammer  |

(954) 424-6349

| 15. | Hex socket wrench             |
|-----|-------------------------------|
| 16. | Second size hex socket wrench |
| 17. | Philips screwdriver           |
| 18. | Marlinspike                   |

Screwdriver

19.